

S/N: 10/671,932  
 YOR920030164US1 (YOR.459)

### **IN THE CLAIMS:**

**The claims are amended, as follows:**

1. (Currently amended) A method of monitoring continual queries over moving objects, said method comprising:

preliminarily establishing, using a processor on a computer, an object identification listing for each of an object being monitored, said object identification listing providing an indication of which shingles cover an object and which query region includes these shingles, said object identification listing being updated as said object moves;

storing coordinates defining a query region in a memory;

retrieving, from a ~~said~~ memory ~~of a computer~~, ~~said~~ coordinates of said a query region representing a continual query over which movements of moving objects are to be monitored, ~~said query region being represented in a digital format; and~~

constructing, using a ~~said~~ processor of said computer ~~and said retrieved coordinates~~, a covering for said query region, said covering comprising at least one shingle, so that said query region is completely covered by said at least one shingle and no section of any said at least one shingle falls outside said query region;

periodically, throughout a period of said continual query monitoring, receiving location information for each said object being monitored;

determining from said location information whether any said object is covered by any of said shingles of said query region; and

updating said object identification listing based on said determining.

S/N: 10/671,932

YOR920030164US1 (YOR.459)

2. (Original) The method of claim 1, wherein, when said at least one shingle strictly covering a query region comprises a plurality of shingles, the shingles in said plurality are allowed to overlap.

3. (Canceled)

4. (Original) The method of claim 1, wherein said shingles are all one predetermined shape.

5. (Original) The method of claim 1, wherein the query regions comprise predetermined geographical areas on the earth's surface and said shingles comprise at least one of:

two-dimensional shapes; and

three-dimensional shapes.

6. (Previously presented) The method of claim 1, further comprising:

for a query region, determining, using said processor, an optimal shingle size for said query region.

7. (Previously presented) The method of claim 6, wherein said strictly covering said query region comprises:

forming, using said processor, a first strip rectangle based on said optimal shingle size, said first strip rectangle aligned along an edge of said query region in a first dimension.

S/N: 10/671,932

YOR920030164US1 (YOR.459)

8. (Previously presented) The method of claim 7, wherein said first strip rectangle fails to strictly cover said query region, said method further comprising:

relative to a second dimension, using said processor to form a second strip rectangle based on said optimal shingle size.

9. (Original) The method of claim 8, wherein said optimal shingle size allows said second strip rectangle to strictly cover said query region.

10. (Previously presented) The method of claim 9, wherein said first strip rectangle and said second strip rectangle overlay in order to achieve a strict covering of said query region.

11. (Previously presented) The method of claim 8, wherein if said optimal shingle size does not permit said second strip to strictly cover said query region, said method further comprising:

in said second dimension, using said processor for repeatedly forming a strip rectangle based on said optimal shingle size until said query region is completely covered by strip rectangles, wherein a final strip rectangle is allowed to overlap a previous strip rectangle to achieve said strict covering.

12. (Previously presented) The method of claim 7, further comprising:

forming shingles, using said processor, in said first strip rectangle, each said shingle based on said optimal shingle size, so as to strictly cover said first strip rectangle.

S/N: 10/671,932  
 YOR920030164US1 (YOR.459)

13. (Previously presented) The method of claim 12, wherein a strict covering of said first strip rectangle is achieved by allowing a last shingle in said first strip rectangle to overlap a previously-placed shingle.

14. (Previously presented) The method of claim 8, further comprising:

for each strip rectangle formed, using said processor for forming shingles in said strip rectangle in a manner that strictly covers said strip rectangle.

15. (Currently amended) The method of claim 1, further comprising:

~~identifying, using said processor, which shingles cover each object of interest; and~~  
 maintaining, in a memory of said computer, a query index of objects that are located in each query region, as based on which shingles cover the objects of interest.

16. (Original) The method of claim 15, wherein certain query evaluations are skipped by filtering out a subset of said objects of interest that have not moved from a shingle previously covering the object.

17. (Currently amended) A system of monitoring continual queries over moving objects, said system comprising:

a module executed on a computer that receives coordinates defining one or more query regions, constructs a cover that strictly covers each query region with at least one covering shingle, each said query region being a region represented in a digital format over which said objects are to be continually monitored, wherein the strictly covering function

S/N: 10/671,932  
YOR920030164US1 (YOR.459)

comprises completely covering a query by at least one said covering shingle, wherein none of said shingles strictly covering said query extends outside said query, and each said shingle strictly covering said query is permitted to overlap another shingle strictly covering said query, and determines whether any object being monitor is currently covered by any of said covering shingles.

18. (Previously presented) The system of claim 17, further comprising:

a calculator, executed on said computer, that skips certain query evaluations by filtering out a subset of said moving objects using said strictly covering shingles.

19. (Original) The system of claim 18, wherein said calculator further constructs a query index based on said covering shingles and said filtering out a subset of moving objects is based on said query index.

20. (Original) The system of claim 18, wherein said filtering out a subset of said moving objects is based on determining a relative movement since the last position with respect to shingle boundaries.

21. (Previously presented) The system of claim 19, wherein said filtering out a subset of moving objects is based on building of a query index, said calculator further:

predefining a set of shingles;

strictly covering a range query with one or more said shingles; and

maintaining the ID of said range query with said covering shingles.

S/N: 10/671,932  
YOR920030164US1 (YOR.459)

22. (Original) The system of claim 18, wherein said filtering out a subset of said moving objects, further comprises:

- computing the covering shingles of an old object location;
- computing the covering shingles of a new object location;
- deleting an object ID instance from object lists associated with the queries that are covered by the covering shingles of the old location but not of the new location; and
- inserting an object ID instance into object lists associated with the queries that are covered by the covering shingles of the new location but not of the new location.

23. (Original) The system of claim 18, wherein the filtering out of a subset of moving objects further comprises:

- computing the covering shingles of an old object location;
- computing the covering shingles of a new object location; and
- taking no action for queries that are covered by the covering shingles of both the new and the old locations.

24. (Currently amended) A service based on a computerized monitoring of continual queries over moving objects, said service comprising at least one of:

- providing a monitoring of moving objects against continual queries, using a computer, each said query being a region represented in a digital format and representing a region over which said moving objects are to be continually monitored, using a method comprising:

S/N: 10/671,932  
 YOR920030164US1 (YOR.459)

receiving coordinates defining at least one query region in a processor of a computer;

constructing a cover strictly covering each said query region by at least one shingle, using said processor, wherein said strictly covering function comprises completely covering a query region by said at least one shingle and no section of any said at least one shingle falls outside said query region;

determining, using said processor, whether any object being monitored is covered by any of said shingles of any of said query regions; and

reporting location information of said moving objects based on said determining;

providing a result of said monitoring using said computerized method; and  
 using a result of said monitoring using said method.

25. (Currently amended) A signal-bearing storage medium tangibly embodying a program of machine-readable instructions executable by a digital processing apparatus to perform a method of monitoring continual queries over moving objects, said method comprising:

receiving coordinates defining one or more query regions, each said query region comprising a region over which said moving objects are being continually monitored;

constructing a cover strictly covering each ~~of a~~ said query region by at least one shingle, ~~each said query region comprising a region over which said moving objects are being continually monitored~~, wherein said strictly covering function comprises completely covering said query region by at least one shingle and no section of any said at least one shingle falls outside said query region;

S/N: 10/671,932

YOR920030164US1 (YOR.459)

periodically receiving location information of each object being monitor and  
determining whether each said monitor object is covered by any of said shingles; and  
reporting locations of said objects based on said determining.